

# A Network-based End-to-End Trainable Task-oriented Dialogue System

**Tsung-Hsien Wen, David Vandyke, Nikola Mrkšić, Milica Gašić,  
Lina M. Rojas-Barahona, Pei-Hao Su, Stefan Ultes, Steve Young**

Cambridge University Engineering Department,  
Trumpington Street, Cambridge, CB2 1PZ, UK

{thw28, djv27, nm480, mg436, lmr46, phs26, su259, sjy11}@cam.ac.uk

## Abstract

Teaching machines to accomplish tasks by conversing naturally with humans is challenging. Currently, developing task-oriented dialogue systems requires creating multiple components and typically this involves either a large amount of handcrafting, or acquiring costly labelled datasets to solve a statistical learning problem for each component. In this work we introduce a neural network-based text-in, text-out end-to-end trainable goal-oriented dialogue system along with a new way of collecting dialogue data based on a novel pipe-lined Wizard-of-Oz framework. This approach allows us to develop dialogue systems easily and without making too many assumptions about the task at hand. The results show that the model can converse with human subjects naturally whilst helping them to accomplish tasks in a restaurant search domain.

## 1 Introduction

Building a task-oriented dialogue system such as a hotel booking or a technical support service is difficult because it is application-specific and there is usually limited availability of training data. To mitigate this problem, recent machine learning approaches to task-oriented dialogue system design have cast the problem as a partially observable Markov Decision Process (POMDP) (Young et al., 2013) with the aim of using reinforcement learning (RL) to train dialogue policies online through interactions with real users (Gašić et al., 2013). However, the language understanding (Henderson et al., 2014; Yao et al., 2014) and language generation (Wen et al., 2015b; Wen et al., 2016) modules still rely on supervised learning and therefore

need corpora to train on. Furthermore, to make RL tractable, the state and action space must be carefully designed (Young et al., 2013; Young et al., 2010), which may restrict the expressive power and learnability of the model. Also, the reward functions needed to train such models are difficult to design and hard to measure at run-time (Su et al., 2015; Su et al., 2016).

At the other end of the spectrum, sequence to sequence learning (Sutskever et al., 2014) has inspired several efforts to build end-to-end trainable, non-task-oriented conversational systems (Vinyals and Le, 2015; Shang et al., 2015; Serban et al., 2015b). This family of approaches treats dialogue as a source to target sequence transduction problem, applying an encoder network (Cho et al., 2014) to encode a user query into a distributed vector representing its semantics, which then conditions a decoder network to generate each system response. These models typically require a large amount of data to train. They allow the creation of effective chatbot type systems but they lack any capability for supporting domain specific tasks, for example, being able to interact with databases (Sukhbaatar et al., 2015; Yin et al., 2015) and aggregate useful information into their responses.

In this work, we propose a neural network-based model for task-oriented dialogue systems by balancing the strengths and the weaknesses of the two research communities: the model is end-to-end trainable<sup>1</sup> but still modularly connected; it does not directly model the user goal, but nevertheless, it still learns to accomplish the required task by providing *relevant* and *appropriate* responses at each turn; it has an explicit representation of database (DB) attributes (slot-value pairs) which it uses to achieve a high task success rate, but has a distributed representation of user intent (dialogue act)

<sup>1</sup>We define *end-to-end trainable* as that each system module is trainable from data except for a database operator.




Figure 1: The proposed end-to-end trainable dialogue system framework

to allow ambiguous inputs; and it uses dellexicalisation<sup>2</sup> and a weight tying strategy (Henderson et al., 2014) to reduce the data required to train the model, but still maintains a high degree of freedom should larger amounts of data become available. We show that the proposed model performs a given task very competitively across several metrics when trained on only a few hundred dialogues.

In order to train the model for the target application, we introduce a novel pipe-lined data collection mechanism inspired by the Wizard-of-Oz paradigm (Kelley, 1984) to collect human-human dialogue corpora via crowd-sourcing. We found that this process is simple and enables fast data collection online with very low development costs.

## 2 Model

We treat dialogue as a sequence to sequence mapping problem (modelled by a sequence-to-sequence architecture (Sutskever et al., 2014)) augmented with the dialogue history (modelled by a set of belief trackers (Henderson et al., 2014)) and the current database search outcome (modelled by a database operator), as shown in Figure 1. At each turn, the system takes a sequence of tokens<sup>2</sup> from the user as input and converts it into two internal representations: a distributed representation generated by an intent network and a probability distribution over slot-value pairs called the belief state (Young et al., 2013) generated by a set of belief trackers. The database operator then selects the

<sup>2</sup>Dellexicalisation: we replaced slots and values by generic tokens (e.g. keywords like Chinese or Indian are replaced by <v.food> in Figure 1) to allow weight sharing.

most probable values in the belief state to form a query to the DB, and the search result, along with the intent representation and belief state are transformed and combined by a policy network to form a single vector representing the next system action. This system action vector is then used to condition a response generation network (Wen et al., 2015a; Wen et al., 2015b) which generates the required system output token by token in skeletal form. The final system response is then formed by substituting the actual values of the database entries into the skeletal sentence structure. A more detailed description of each component is given below.

### 2.1 Intent Network

The intent network can be viewed as the encoder in the sequence-to-sequence learning framework (Sutskever et al., 2014) whose job is to encode a sequence of input tokens  $w_0^t, w_1^t, \dots, w_N^t$  into a distributed vector representation  $\mathbf{z}_t$  at every turn  $t$ . Typically, a Long Short-term Memory (LSTM) network (Hochreiter and Schmidhuber, 1997) is used and the last time step hidden layer  $\mathbf{z}_t^N$  is taken as the representation,

$$\mathbf{z}_t = \mathbf{z}_t^N = \text{LSTM}(w_0^t, w_1^t, \dots, w_N^t) \quad (1)$$

Alternatively, a convolutional neural network (CNN) can be used in place of the LSTM as the encoder (Kalchbrenner et al., 2014; Kim, 2014),

$$\mathbf{z}_t = \text{CNN}(w_0^t, w_1^t, \dots, w_N^t) \quad (2)$$

and here we investigate both. Since all the slot-value specific information is dellexicalised, the encoded vector can be viewed as a distributed intent




Figure 2: Tied Jordan-type RNN belief tracker with delexicalised CNN feature extractor. The output of the CNN feature extractor is a concatenation of top-level sentence (green) embedding and several levels of intermediate ngram-like embeddings (red and blue). However, if a value cannot be delexicalised in the input, its ngram-like embeddings will all be padded with zeros. We pad zero vectors (in gray) before each convolution operation to make sure the representation at each layer has the same length. The output of each tracker  $\mathbf{p}_s^t$  is a distribution over values of a particular slot  $s$ .

representation which replaces the hand-coded dialogue act representation (Traum, 1999) in traditional task-oriented dialogue systems.

## 2.2 Belief Trackers

Belief tracking (also called Dialogue State tracking) provides the core of a task-oriented spoken dialogue system (SDS) (Henderson, 2015). Current state-of-the-art belief trackers use discriminative models such as recurrent neural networks (RNN) (Mikolov et al., 2010; Wen et al., 2013) to directly map ASR hypotheses to belief states (Henderson et al., 2014; Mrkšić et al., 2016). Although in this work we focus on text-based dialogue systems, we retain belief tracking at the core of our system because: (1) it enables a sequence of free-form natural language sentences to be mapped into a fixed set of slot-value pairs, which can then be used to query a DB. This can be viewed as a simple version of a semantic parser (Berant et al., 2013); (2) by keeping track of the dialogue state, it avoids learning unnecessarily complicated long-term dependencies from raw inputs; (3) it uses a smart weight tying strategy that can greatly reduce the data required to train the model, and (4) it provides an inherent robustness which simplifies future extension to spoken systems.

Using each user input as new evidence, the task of a belief tracker is to maintain a multinomial dis-

tribution  $p$  over values  $v \in V_s$  for each informable slot  $s$ , and a binary distribution for each requestable slot<sup>3</sup>. Each slot in the ontology  $\mathbb{G}^4$  has its own specialised tracker, and each tracker is a Jordan-type (recurrence from output to hidden layer) (Jordan, 1989) RNN<sup>5</sup> with a CNN feature extractor, as shown in Figure 2. Like Mrkšić et al. (2015), we tie the RNN weights together for each value  $v$  but vary features  $\mathbf{f}_v^t$  when updating each pre-softmax activation  $g_v^t$ . The update equations for a given slot  $s$  are,

$$\mathbf{f}_v^t = \mathbf{f}_{v,cnn}^t \oplus p_v^{t-1} \oplus p_{\emptyset}^{t-1} \quad (3)$$

$$g_v^t = \mathbf{w}_s \cdot \text{sigmoid}(\mathbf{W}_s \mathbf{f}_v^t + \mathbf{b}_s) + b'_s \quad (4)$$

$$p_v^t = \frac{\exp(g_v^t)}{\exp(g_{\emptyset,s}) + \sum_{v' \in V_s} \exp(g_{v'}^t)} \quad (5)$$

where vector  $\mathbf{w}_s$ , matrix  $\mathbf{W}_s$ , bias terms  $\mathbf{b}_s$  and  $b'_s$ , and scalar  $g_{\emptyset,s}$  are parameters.  $p_{\emptyset}^t$  is the probability that the user has not mentioned that slot up to turn  $t$  and can be calculated by substituting  $g_{\emptyset,s}$  for  $g_v^t$  in the numerator of Equation 5. In order to model the discourse context at each turn, the feature vector

<sup>3</sup>Informable slots are slots that users can use to constrain the search, such as food type or price range; Requestable slots are slots that users can ask a value for, such as address.

<sup>4</sup>A small knowledge graph defining the slot-value pairs the system can talk about for a particular task.

<sup>5</sup>We don't use the recurrent connection for requestable slots since they don't need to be tracked.

$\mathbf{f}_{v,cnn}^t$  is the concatenation of two CNN derived features, one from processing the user input  $u_t$  at turn  $t$  and the other from processing the machine response  $m_{t-1}$  at turn  $t - 1$ ,

$$\mathbf{f}_{v,cnn}^t = \text{CNN}_{s,v}^{(u)}(u_t) \oplus \text{CNN}_{s,v}^{(m)}(m_{t-1}) \quad (6)$$

where every token in  $u_t$  and  $m_{t-1}$  is represented by an embedding of size  $N$  derived from a 1-hot input vector. In order to make the tracker aware when delexicalisation is applied to a slot or value, the slot-value specialised CNN operator  $\text{CNN}_{s,v}^{(\cdot)}(\cdot)$  extracts not only the top level sentence representation but also intermediate n-gram-like embeddings determined by the position of the delexicalised token in each utterance. If multiple matches are observed, the corresponding embeddings are summed. On the other hand, if there is no match for a particular slot or value, the empty n-gram embeddings are padded with zeros. In order to keep track of the position of delexicalised tokens, both sides of the sentence are padded with zeros before each convolution operation. The number of vectors is determined by the filter size at each layer. The overall process of extracting several layers of position-specific features is visualised in Figure 2.

The belief tracker described above is based on Henderson et al. (2014) with some modifications: (1) only probabilities over informable and requestable slots and values are output, (2) the recurrent memory block is removed, since it appears to offer no benefit in this task, and (3) the n-gram feature extractor is replaced by the CNN extractor described above. By introducing slot-based belief trackers, we essentially add a set of intermediate labels into the system as compared to training a pure end-to-end system. Later in the paper we will show that these tracker components are critical for achieving task success. We will also show that the additional annotation requirement that they introduce can be successfully mitigated using a novel pipe-lined Wizard-of-Oz data collection framework.

### 2.3 Policy Network and Database Operator

**Database Operator** Based on the output  $\mathbf{p}_s^t$  of the belief trackers, the DB query  $q_t$  is formed by,

$$q_t = \bigcup_{s' \in S_I} \{\text{argmax}_v \mathbf{p}_{s'}^t\} \quad (7)$$

where  $S_I$  is the set of informable slots. This query is then applied to the DB to create a binary truth

value vector  $\mathbf{x}_t$  over DB entities where a 1 indicates that the corresponding entity is consistent with the query (and hence it is consistent with the most likely belief state). In addition, if  $\mathbf{x}$  is not entirely null, an associated entity pointer is maintained which identifies one of the matching entities selected at random. The entity pointer is updated if the current entity no longer matches the search criteria; otherwise it stays the same. The entity referenced by the entity pointer is used to form the final system response as described in Section 2.4.

**Policy network** The policy network can be viewed as the glue which binds the system modules together. Its output is a single vector  $\mathbf{o}_t$  representing the system action, and its inputs are comprised of  $\mathbf{z}_t$  from the intent network, the belief state  $\mathbf{p}_s^t$ , and the DB truth value vector  $\mathbf{x}_t$ . Since the generation network only generates appropriate sentence forms, the individual probabilities of the categorical values in the informable belief state are immaterial and are summed together to form a summary belief vector for each slot  $\hat{\mathbf{p}}_s^t$  represented by three components: the summed value probabilities, the probability that the user said they "don't care" about this slot and the probability that the slot has not been mentioned. Similarly for the truth value vector  $\mathbf{x}_t$ , the number of matching entities matters but not their identity. This vector is therefore compressed to a 6-bin 1-hot encoding  $\hat{\mathbf{x}}_t$ , which represents different degrees of matching in the DB (no match, 1 match, ... or more than 5 matches). Finally, the policy network output is generated by a three-way matrix transformation,

$$\mathbf{o}_t = \tanh(\mathbf{W}_{zo}\mathbf{z}_t + \mathbf{W}_{po}\hat{\mathbf{p}}_t + \mathbf{W}_{xo}\hat{\mathbf{x}}_t) \quad (8)$$

where matrices  $\mathbf{W}_{zo}$ ,  $\mathbf{W}_{po}$ , and  $\mathbf{W}_{xo}$  are parameters and  $\hat{\mathbf{p}}_t = \bigoplus_{s \in \mathbb{G}} \hat{\mathbf{p}}_s^t$  is a concatenation of all summary belief vectors.

### 2.4 Generation Network

The generation network uses the action vector  $\mathbf{o}_t$  to condition a language generator (Wen et al., 2015b). This generates template-like sentences token by token based on the language model probabilities,

$$P(w_{j+1}^t | w_j^t, \mathbf{h}_{j-1}^t, \mathbf{o}_t) = \text{LSTM}_j(w_j^t, \mathbf{h}_{j-1}^t, \mathbf{o}_t) \quad (9)$$

where  $\text{LSTM}_j(\cdot)$  is a conditional LSTM operator for one output step  $j$ ,  $w_j^t$  is the last output token (i.e. a word, a delexicalised slot name or a delexicalised

slot value), and  $\mathbf{h}_{j-1}^t$  is the hidden layer. Once the output token sequence has been generated, the generic tokens are replaced by their actual values: (1) replacing delexicalised slots by random sampling from a list of surface forms, e.g.  $\langle s.food \rangle$  to *food* or *type of food*, and (2) replacing delexicalised values by the actual attribute values of the entity currently selected by the DB pointer. This is similar in spirit to the Latent Predictor Network (Ling et al., 2016) where the token generation process is augmented by a set of pointer networks (Vinyals et al., 2015) to transfer entity specific information into the response.

**Attentive Generation Network** Instead of decoding responses directly from a static action vector  $\mathbf{o}_t$ , an attention-based mechanism (Bahdanau et al., 2015; Hermann et al., 2015) can be used to dynamically aggregate source embeddings at each output step  $j$ . In this work we explore the use of an attention mechanism to combine the tracker belief states, i.e.  $\mathbf{o}_t$  is computed at each output step  $j$  by,

$$\mathbf{o}_t^{(j)} = \tanh(\mathbf{W}_{zo}\mathbf{z}_t + \hat{\mathbf{p}}_t^{(j)} + \mathbf{W}_{xo}\hat{\mathbf{x}}_t) \quad (10)$$

where for a given ontology  $\mathbb{G}$ ,

$$\hat{\mathbf{p}}_t^{(j)} = \sum_{s \in \mathbb{G}} \alpha_s^{(j)} \tanh(\mathbf{W}_{po}^s \cdot \hat{\mathbf{p}}_s^t) \quad (11)$$

and where the attention weights  $\alpha_s^{(j)}$  are calculated by a scoring function,

$$\alpha_s^{(j)} = \text{softmax}(\mathbf{r}^\top \tanh(\mathbf{W}_r \cdot \mathbf{u}_t)) \quad (12)$$

where  $\mathbf{u}_t = \mathbf{z}_t \oplus \hat{\mathbf{x}}_t \oplus \hat{\mathbf{p}}_s^t \oplus \mathbf{w}_j^t \oplus \mathbf{h}_{j-1}^t$ , matrix  $\mathbf{W}_r$ , and vector  $\mathbf{r}$  are parameters to learn and  $\mathbf{w}_j^t$  is the embedding of token  $w_j^t$ .

### 3 Wizard-of-Oz Data Collection

Arguably the greatest bottleneck for statistical approaches to dialogue system development is the collection of appropriate training data, and this is especially true for task-oriented dialogue systems. Serban et al (Serban et al., 2015a) have catalogued existing corpora for developing conversational agents. Such corpora may be useful for bootstrapping, but, for task-oriented dialogue systems, in-domain data is essential<sup>6</sup>. To mitigate this problem, we propose a novel crowdsourcing version of the Wizard-of-Oz (WOZ) paradigm (Kelley, 1984) for collecting domain-specific corpora.

<sup>6</sup>E.g. technical support for Apple computers may differ completely from that for Windows, due to the many differences in software and hardware.

Based on the given ontology, we designed two webpages on Amazon Mechanical Turk, one for wizards and the other for users (see Figure 4 and 5 for the designs). The users are given a task specifying the characteristics of a particular entity that they must find (e.g. *a Chinese restaurant in the north*) and asked to type in natural language sentences to fulfil the task. The wizards are given a form to record the information conveyed in the last user turn (e.g. *pricerange=Chinese, area=north*) and a search table showing all the available matching entities in the database. Note these forms contain all the labels needed to train the slot-based belief trackers. The table is automatically updated every time the wizard submits new information. Based on the updated table, the wizard types an appropriate system response and the dialogue continues.

In order to enable large-scale parallel data collection and avoid the distracting latencies inherent in conventional WOZ scenarios (Bohus and Rudnicky, 1999), users and wizards are asked to contribute just a single turn to each dialogue. To ensure coherence and consistency, users and wizards must review all previous turns in that dialogue before they contribute their turns. Thus dialogues progress in a pipe-line. Many dialogues can be active in parallel and no worker ever has to wait for a response from the other party in the dialogue. Despite the fact that multiple workers contribute to each dialogue, we observe that dialogues are generally coherent yet diverse. Furthermore, this turn-level data collection strategy seems to encourage workers to learn and correct each other based on previous turns.

In this paper, the system was designed to assist users to find a restaurant in the Cambridge, UK area. There are three informable slots (*food, pricerange, area*) that users can use to constrain the search and six requestable slots (*address, phone, postcode* plus the three informable slots) that the user can ask a value for once a restaurant has been offered. There are 99 restaurants in the DB. Based on this domain, we ran 3000 HITs (Human Intelligence Tasks) in total for roughly 3 days and collected 1500 dialogue turns. After cleaning the data, we have approximately 680 dialogues in total (some of them are unfinished). The total cost for collecting the dataset was  $\sim 400$  USD.

## 4 Empirical Experiments

**Training** Training is divided into two phases. Firstly the belief tracker parameters  $\theta_b$  are

Table 1: Tracker performance in terms of Precision, Recall, and F-1 score.

Tracker type	Informable			Requestable		
	Prec.	Recall	F-1	Prec.	Recall	F-1
cnn	99.77%	96.09%	97.89%	98.66%	93.79%	96.16%
ngram	99.34%	94.42%	96.82%	98.56%	90.14%	94.16%

trained using the cross entropy errors between tracker labels  $\mathbf{y}_s^t$  and predictions  $\mathbf{p}_s^t$ ,  $L_1(\theta_b) = -\sum_t \sum_s (\mathbf{y}_s^t)^\top \log \mathbf{p}_s^t$ . For the full model, we have three informable trackers (*food*, *pricerange*, *area*) and seven requestable trackers (*address*, *phone*, *postcode*, *name*, plus the three informable slots).

Having fixed the tracker parameters, the remaining parts of the model  $\theta_{\setminus b}$  are trained using the cross entropy errors from the generation network language model,  $L_2(\theta_{\setminus b}) = -\sum_t \sum_j (\mathbf{y}_j^t)^\top \log \mathbf{p}_j^t$ , where  $\mathbf{y}_j^t$  and  $\mathbf{p}_j^t$  are output token targets and predictions respectively, at turn  $t$  of output step  $j$ . We treated each dialogue as a batch and used stochastic gradient descent with a small  $l_2$  regularisation term to train the model. The collected corpus was partitioned into a training, validation, and testing sets in the ratio 3:1:1. Early stopping was implemented based on the validation set for regularisation and gradient clipping was set to 1. All the hidden layer sizes were set to 50, and all the weights were randomly initialised between -0.3 and 0.3 including word embeddings. The vocabulary size is around 500 for both input and output, in which rare words and words that can be delexicalised are removed. We used three convolutional layers for all the CNNs in the work and all the filter sizes were set to 3. Pooling operations were only applied after the final convolution layer.

**Decoding** In order to decode without length bias, we decoded each system response  $m_t$  based on the average log probability of tokens,

$$m_t^* = \operatorname{argmax}_{m_t} \{ \log p(m_t | \theta, u_t) / J_t \} \quad (13)$$

where  $\theta$  are the model parameters,  $u_t$  is the user input, and  $J_t$  is the length of the machine response.

As a contrast, we also investigated the MMI criterion (Li et al., 2016) to increase diversity and put additional scores on delexicalised tokens to encourage task completion. This *weighted* decoding strategy has the following objective function,

$$m_t^* = \operatorname{argmax}_{m_t} \{ \log p(m_t | \theta, u_t) / J_t - \lambda \log p(m_t) / J_t + \gamma R_t \} \quad (14)$$

where  $\lambda$  and  $\gamma$  are weights selected on validation set and  $\log p(m_t)$  can be modelled by a standalone LSTM language model. We used a simple heuristic for the scoring function  $R_t$  designed to reward giving appropriate information and penalise spuriously providing unsolicited information<sup>7</sup>. We applied beam search with a beamwidth equal to 10, the search stops when an end of sentence token is generated. In order to obtain language variability from the deployed model we ran decoding until we obtained 5 candidates and randomly sampled one as the system response.

**Tracker performance** Table 1 shows the evaluation of the trackers’ performance. Due to delexicalisation, both CNN type trackers and N-gram type trackers (Henderson et al., 2014) achieve high precision, but the N-gram tracker has worse recall. This result suggests that compared to simple N-grams, CNN type trackers can better generalise to sentences with long distance dependencies and more complex syntactic structures.

**Corpus-based evaluation** We evaluated the end-to-end system by first performing a corpus-based evaluation in which the model is used to predict each system response in the held-out test set. Three evaluation metrics were used: BLEU score (on top-1 and top-5 candidates) (Papineni et al., 2002), entity matching rate and objective task success rate (Su et al., 2015). We calculated the entity matching rate by determining whether the actual selected entity at the end of each dialogue matches the task that was specified to the user. The dialogue is then marked as successful if both (1) the offered entity matches, and (2) the system answered all the associated information requests (e.g. *what is the address?*) from the user. We computed the BLEU scores on the template-like output sentences before lexicalising with the entity value substitution.

<sup>7</sup>We give an additional reward if a requestable slot (e.g. address) is requested and its corresponding delexicalised slot or value token (e.g. <v.address> and <s.address>) is generated. We give an additional penalty if an informable slot is never mentioned (e.g. food=None) but its corresponding delexicalised value token is generated (e.g. <v.food>). For more details on scoring, please see Table 5.

Table 2: Performance comparison of different model architectures based on a corpus-based evaluation.

Encoder	Tracker	Decoder	Match(%)	Success(%)	T5-BLEU	T1-BLEU
<b>Baseline</b>						
lstm	-	lstm	-	-	0.1650	0.1718
lstm	turn recurrence	lstm	-	-	0.1813	0.1861
<b>Variant</b>						
lstm	rnn-cnn, w/o req.	lstm	89.70	30.60	0.1769	0.1799
cnn	rnn-cnn	lstm	88.82	58.52	0.2354	0.2429
<b>Full model w/ different decoding strategy</b>						
lstm	rnn-cnn	lstm	86.34	75.16	0.2184	0.2313
lstm	rnn-cnn	+ weighted	86.04	78.40	0.2222	0.2280
lstm	rnn-cnn	+ att.	90.88	80.02	0.2286	0.2388
lstm	rnn-cnn	+ att. + weighted	90.88	83.82	0.2304	0.2369

Table 2 shows the result of the corpus-based evaluation averaging over 5 randomly initialised networks. The *Baseline* block shows two baseline models: the first is a simple turn-level sequence to sequence model (Sutskever et al., 2014) while the second one introduces an additional recurrence to model the dependency on the dialogue history following Serban et al (Serban et al., 2015b). As can be seen, incorporation of the recurrence improves the BLEU score. However, baseline task success and matching rates cannot be computed since the models do not make any provision for a database.

The *Variant* block of Table 2 shows two variants of the proposed end-to-end model. For the first one, no requestable trackers were used, only informable trackers. Hence, the burden of modelling user requests falls on the intent network alone. We found that without explicitly modelling user requests, the model performs very poorly on task completion ( $\sim 30\%$ ), even though it can offer the correct entity most of the time ( $\sim 90\%$ ). More data may help here; however, we found that the incorporation of an explicit internal semantic representation in the full model (shown below) is more efficient and extremely effective. For the second variant, the LSTM intent network is replaced by a CNN. This achieves a very competitive BLEU score but task success is still quite poor ( $\sim 58\%$  success). We think this is because the CNN encodes the intent by capturing several local features but lacks the global view of the sentence, which may easily result in an unexpected overfit.

The *Full model* block shows the performance of the proposed model with different decoding strategies. The first row shows the result of decoding using the average likelihood term (Equation 13) while the second row uses the *weighted* decoding strategy (Equation 14). As can be seen, the *weighted*

decoding strategy does not provide a significant improvement in BLEU score but it does greatly improve task success rate ( $\sim 3\%$ ). The  $R_t$  term contributes the most to this improvement because it injects additional task-specific information during decoding. Despite this, the most effective and elegant way to improve the performance is to use the attention-based mechanism (*+att.*) to dynamically aggregate the tracker beliefs (Section 2.4). It gives a slight improvement in BLEU score ( $\sim 0.01$ ) and a big gain on task success ( $\sim 5\%$ ). Finally, we can improve further by incorporating *weighted* decoding with the attention models (*+ att. + weighted*).

As an aside, we used t-SNE (der Maaten and Hinton, 2008) to produce a reduced dimension view of the action embeddings  $\mathbf{o}_t$ , plotted and labelled by the first three generated output words (full model w/o attention). The figure is shown as Figure 3. We can see clear clusters based on the system intent types, even though we did not explicitly model them using dialogue acts.

**Human evaluation** In order to assess operational performance, we tested our model using paid subjects recruited via Amazon Mechanical Turk. Each judge was asked to follow a given task and to rate the model’s performance. We assessed the subjective success rate, and the perceived comprehension ability and naturalness of response on a scale of 1 to 5. The full model with attention and weighted decoding was used and the system was tested on a total of 245 dialogues. As can be seen in Table 3, the average subjective success rate was 98%, which means the system was able to complete the majority of tasks. Moreover, the comprehension ability and naturalness scores both averaged more than 4 out of 5. (See Appendix for some sample dialogues in this trial.)

We also ran comparisons between the NN model




Figure 3: The action vector embedding  $\mathbf{o}_t$  generated by the NN model w/o attention. Each cluster is labelled with the first three words the embedding generated.

Table 3: Human assessment of the NN system. The rating for comprehension/naturalness are both out of 5.

Metric	NN
Success	98%
Comprehension	4.11
Naturalness	4.05
# of dialogues:	245

and a handcrafted, modular baseline system (*HDC*) consisting of a handcrafted semantic parser, rule-based policy and belief tracker, and a template-based generator. The result can be seen in Table 4. The *HDC* system achieved  $\sim 95\%$  task success rate, which suggests that it is a strong baseline even though most of the components were hand-engineered. Over the 164 dialogues tested, the NN system (*NN*) was considered better than the handcrafted system (*HDC*) on all the metrics compared. Although both systems achieved similar success rates, the NN system (*NN*) was more efficient and provided a more engaging conversation (lower turn number and higher preference). Moreover, the comprehension ability and naturalness of the NN system were also rated higher, which suggests that the learned system was perceived as being more natural than the hand-designed system.

## 5 Conclusions and Future Work

This paper has presented a novel neural network-based framework for task-oriented dialogue systems. The model is end-to-end trainable using two

Table 4: A comparison of the NN system with a rule-based modular system (*HDC*).

Metric	NN	HDC	Tie
Subj. Success	96.95%	95.12%	-
Avg. # of Turn	3.95	4.54	-
<b>Comparisons(%)</b>			
Naturalness	46.95*	25.61	27.44
Comprehension	45.12*	21.95	32.93
Preference	50.00*	24.39	25.61
Performance	43.90*	25.61	30.49

\*  $p < 0.005$ , # of comparisons: 164

supervision signals and a modest corpus of training data. The paper has also presented a novel crowd-sourced data collection framework inspired by the Wizard-of-Oz paradigm. We demonstrated that the pipe-lined parallel organisation of this collection framework enables good quality task-oriented dialogue data to be collected quickly at modest cost.

The experimental assessment of the NN dialogue system showed that the learned model can interact efficiently and naturally with human subjects to complete an application-specific task. To the best of our knowledge, this is the first end-to-end NN-based model that can conduct meaningful dialogues in a task-oriented application.

However, there is still much work left to do. Our current model is a text-based dialogue system, which can not directly handle noisy speech recognition inputs nor can it ask the user for confirmation when it is uncertain. Indeed, the extent to which this type of model can be scaled to much larger and wider domains remains an open question which we hope to pursue in our further work.

## Wizard-of-Oz data collection websites

**Task 02004:** You are looking for and it should serve **gastropub food**. You don't care about the **price range**. You want to know the **address**.

Info Desk : Hello , welcome to the Cambridge restaurant system . You can ask for restaurants by area, price range or food type . How may I help you ?  
 Customer : i want a gastropub food  
 Info Desk : There are 4 restaurants serving gastropub food, what price range do you want ?

Next turn

Customer : (Your response)

i dont care about the price range, just give me the address please

Submit the HIT

Figure 4: The user webpage. The worker who plays a user is given a task to follow. For each mturk HIT, he/she needs to type in an appropriate sentence to carry on the dialogue by looking at both the task description and the dialogue history.

Info Desk : Hello , welcome to the Cambridge restaurant system . You can ask for restaurants by area, price range or food type . How may I help you ?  
 Customer : i want a gastropub food  
 Info Desk : There are 4 restaurants serving gastropub food, what price range do you want ?  
 Customer : i dont care

Next turn

Please modify the following answers based on the latest customer response:

- What does user want?
  - What is the **food type** the user wants? gastropub
  - What is the **area** the user wants? not mentioned
  - What is the **price range** the user wants? dont care
- What does user ask?
  - Is the user asking for **food type** of an offered venue? No
  - Is the user asking for **price range** of an offered venue? No
  - Is the user asking for **area** of an offered venue? No
  - Is the user asking for **postcode** of an offered venue? No
  - Is the user asking for **phone number** of an offered venue? No
  - Is the user asking for **address** of an offered venue? No
  - Is the user mentioning any **restaurant names**? No

finish

Info Desk : (Your response)

i would recommend backstreet bistro, a great gastropub restaurant in the centre, do you want their phone number ? end-of-dialogue

Submit the HIT

Name	Food	Area	Price Range	Phone	Address	Postcode
backstreet bistro	gastropub	centre	expensive	01223 306306	2 Slurton Street City Centre	C.B 1, 2 Q.A
royal standard	gastropub	east	expensive	01223 247877	290 Mill Road City Centre	C.B 1, 3 N.L
the cow pizza kitchen and bar	gastropub	centre	moderate	01223 308871	Corn Exchange Street	C.B 2, 3 Q.F
the slug and lettuce	gastropub	centre	expensive	--	34 - 35 Green Street	C.B 2, 3 J.U
nil	gastropub	nil	nil	nil	nil	nil

Showing 1 to 4 of 4 entries (filtered from 110 total entries) Previous 1 Next

Figure 5: The wizard page. The wizard's job is slightly more complex: the worker needs to go through the dialogue history, fill in the form (top green) by interpreting the user input at this turn, and type in an appropriate response based on the history and the DB result (bottom green). The DB search result is updated when the form is submitted. The form can be divided into informable slots (top) and requestable slots (bottom), which contains all the labels we need to train the trackers.

## Scoring Table

Table 5: Additional  $R_t$  term for delexicalised tokens when using weighted decoding (Equation 14). *Not observed* means the corresponding tracker has a highest probability on either *not mentioned* or *dontcare* value, while *observed* mean the highest probability is on one of the categorical values. A positive score encourages the generation of that token while a negative score discourages it.

Delexicalised token	Examples	$R_t$ (observed)	$R_t$ (not observed)
informable slot token	<s.food>, <s.area>,...	0.0	0.0
informable value token	<v.food>, <v.area>,...	+0.05	-0.5
requestable slot token	<s.phone>,<s.address>,...	+0.2	0.0
requestable value token	<v.phone>,<v.address>,...	+0.2	0.0

## Acknowledgements

Tsung-Hsien Wen and David Vandyke are supported by Toshiba Research Europe Ltd, Cambridge. The authors would like to thank Ryan Lowe and Lukáš Žilka for their valuable comments.

## References

- [Bahdanau et al.2015] Dzmitry Bahdanau, Kyunghyun Cho, and Yoshua Bengio. 2015. Neural machine translation by jointly learning to align and translate. *ICLR*.
- [Berant et al.2013] Jonathan Berant, Andrew Chou, Roy Frostig, and Percy Liang. 2013. Semantic parsing on freebase from question-answer pairs. In *EMNLP*.
- [Bohus and Rudnicky1999] Dan Bohus and Alex I. Rudnicky, 1999. *Recent Trends in Discourse and Dialogue*, chapter Sorry, I didnt catch that! Springer.
- [Cho et al.2014] Kyunghyun Cho, Bart van Merriënboer, Çağlar Gülçehre, Fethi Bougares, Holger Schwenk, and Yoshua Bengio. 2014. Learning phrase representations using RNN encoder-decoder for statistical machine translation. In *EMNLP*.
- [der Maaten and Hinton2008] Laurens Van der Maaten and Geoffrey Hinton. 2008. Visualizing Data using t-SNE. *JMLR*.
- [Gašić et al.2013] Milica Gašić, Catherine Breslin, Matthew Henderson, Dongho Kim, Martin Szummer, Blaise Thomson, Pirros Tsiakoulis, and Steve Young. 2013. On-line policy optimisation of bayesian spoken dialogue systems via human interaction. In *ICASSP*.
- [Henderson et al.2014] Matthew Henderson, Blaise Thomson, and Steve Young. 2014. Word-based dialog state tracking with recurrent neural networks. In *SIGdial*.
- [Henderson2015] Matthew Henderson. 2015. Machine learning for dialog state tracking: A review. In *Machine Learning in Spoken Language Processing Workshop*.
- [Hermann et al.2015] Karl Moritz Hermann, Tomáš Kociský, Edward Grefenstette, Lasse Espeholt, Will Kay, Mustafa Suleyman, and Phil Blunsom. 2015. Teaching machines to read and comprehend. In *NIPS*.
- [Hochreiter and Schmidhuber1997] Sepp Hochreiter and Jürgen Schmidhuber. 1997. Long short-term memory. *Neural Computation*.
- [Jordan1989] Michael I. Jordan. 1989. Serial order: A parallel, distributed processing approach. In *Advances in Connectionist Theory: Speech*. Lawrence Erlbaum Associates.
- [Kalchbrenner et al.2014] Nal Kalchbrenner, Edward Grefenstette, and Phil Blunsom. 2014. A convolutional neural network for modelling sentences. *ACL*.
- [Kelley1984] John F. Kelley. 1984. An iterative design methodology for user-friendly natural language office information applications. *ACM Transaction on Information Systems*.
- [Kim2014] Yoon Kim. 2014. Convolutional neural networks for sentence classification. In *EMNLP*.
- [Li et al.2016] Jiwei Li, Michel Galley, Chris Brockett, Jianfeng Gao, and Bill Dolan. 2016. A diversity-promoting objective function for neural conversation models. In *NAACL-HLT*.
- [Ling et al.2016] Wang Ling, Edward Grefenstette, Karl Moritz Hermann, Tomas Kocisky, Andrew Senior, Fumin Wang, and Phil Blunsom. 2016. Latent predictor networks for code generation. *arXiv preprint:1603.06744*.
- [Mikolov et al.2010] Tomáš Mikolov, Martin Karafiat, Lukáš Burget, Jan Černocký, and Sanjeev Khudanpur. 2010. Recurrent neural network based language model. In *InterSpeech*.
- [Mrkšić et al.2015] Nikola Mrkšić, Diarmuid Ó Séaghdha, Blaise Thomson, Milica Gašić, Pei-Hao Su, David Vandyke, Tsung-Hsien Wen, and Steve Young. 2015. Multi-domain Dialog State Tracking using Recurrent Neural Networks. In *ACL*.
- [Mrkšić et al.2016] Nikola Mrkšić, Diarmuid Ó Séaghdha, Tsung-Hsien Wen, Blaise Thomson, and Steve Young. 2016. Neural belief tracker: Data-driven dialogue state tracking. *arXiv preprint:1606.03777*.
- [Papineni et al.2002] Kishore Papineni, Salim Roukos, Todd Ward, and Wei-Jing Zhu. 2002. Bleu: a method for automatic evaluation of machine translation. In *ACL*.
- [Serban et al.2015a] Iulian Vlad Serban, Ryan Lowe, Laurent Charlin, and Joelle Pineau. 2015a. A survey of available corpora for building data-driven dialogue systems. *arXiv preprint:1512.05742*.
- [Serban et al.2015b] Iulian Vlad Serban, Alessandro Sordani, Yoshua Bengio, Aaron C. Courville, and Joelle Pineau. 2015b. Hierarchical neural network generative models for movie dialogues. In *AAAI*.
- [Shang et al.2015] Lifeng Shang, Zhengdong Lu, and Hang Li. 2015. Neural responding machine for short-text conversation. In *ACL*.
- [Su et al.2015] Pei-Hao Su, David Vandyke, Milica Gašić, Dongho Kim, Nikola Mrksic, Tsung-Hsien Wen, and Steve J. Young. 2015. Learning from real users: Rating dialogue success with neural networks for reinforcement learning in spoken dialogue systems. In *Interspeech*.

- [Su et al.2016] Pei-Hao Su, Milica Gašić, Nikola Mrkšić, Lina Rojas-Barahona, Stefan Ultes, David Vandyke, Tsung-Hsien Wen, and Steve Young. 2016. On-line active reward learning for policy optimisation in spoken dialogue systems. In *Proceedings of ACL*.
- [Sukhbaatar et al.2015] Sainbayar Sukhbaatar, Arthur Szlam, Jason Weston, and Rob Fergus. 2015. End-to-end memory networks. In *NIPS*.
- [Sutskever et al.2014] Ilya Sutskever, Oriol Vinyals, and Quoc V. Le. 2014. Sequence to sequence learning with neural networks. In *NIPS*.
- [Traum1999] David R. Traum, 1999. *Foundations of Rational Agency*, chapter Speech Acts for Dialogue Agents. Springer.
- [Vinyals and Le2015] Oriol Vinyals and Quoc V. Le. 2015. A neural conversational model. In *ICML Deep Learning Workshop*.
- [Vinyals et al.2015] Oriol Vinyals, Meire Fortunato, and Navdeep Jaitly. 2015. Pointer networks. In *NIPS*.
- [Wen et al.2013] Tsung-Hsien Wen, Aaron Heidel, Hung yi Lee, Yu Tsao, and Lin-Shan Lee. 2013. Recurrent neural network based language model personalization by social network crowdsourcing. In *InterSpeech*.
- [Wen et al.2015a] Tsung-Hsien Wen, Milica Gašić, Dongho Kim, Nikola Mrkšić, Pei-Hao Su, David Vandyke, and Steve Young. 2015a. Stochastic language generation in dialogue using recurrent neural networks with convolutional sentence reranking. In *SIGdial*.
- [Wen et al.2015b] Tsung-Hsien Wen, Milica Gašić, Nikola Mrkšić, Pei-Hao Su, David Vandyke, and Steve Young. 2015b. Semantically conditioned lstm-based natural language generation for spoken dialogue systems. In *EMNLP*.
- [Wen et al.2016] Tsung-Hsien Wen, Milica Gašić, Nikola Mrkšić, Pei-Hao Su, David Vandyke, and Steve Young. 2016. Multi-domain neural network language generation for spoken dialogue systems. In *NAACL-HLT*.
- [Yao et al.2014] Kaisheng Yao, Baolin Peng, Yu Zhang, Dong Yu, Geoffrey Zweig, and Yangyang Shi. 2014. Spoken language understanding using long short-term memory neural networks. In *SLT*.
- [Yin et al.2015] Pengcheng Yin, Zhengdong Lu, Hang Li, and Ben Kao. 2015. Neural enquirer: Learning to query tables. *arXiv preprint:1512.00965*.
- [Young et al.2010] Steve Young, Milica Gašić, Simon Keizer, François Mairesse, Jost Schatzmann, Blaise Thomson, and Kai Yu. 2010. The hidden information state model: A practical framework for pomdp-based spoken dialogue management. *Computer, Speech and Language*.
- [Young et al.2013] Steve Young, Milica Gašić, Blaise Thomson, and Jason D. Williams. 2013. Pomdp-based statistical spoken dialog systems: A review. *Proceedings of the IEEE*.

## Appendix: Sample dialogues

Table 6: Some samples of real conversational logs between online judges and the end-to-end system.

Human	: Restaurant in any area that serves Vietnamese food
Machine	: thanh binh serves vietnamese food type , is there anything else i can help you with ?
Human	: What is the phone number and post code
Machine	: the number is 01223 362456 and the area code is c.b 3, 0 a.f . is there anything else i can do for you ?
Human	: Good bye
Machine	: thank you for using the cambridge restaurant system .
Human	: i am looking for moderately priced halal food
Machine	: i am sorry , there are no halal restaurants in the moderate price range . would you like something else ?
Human	: how about european food
Machine	: galleria serves european food type and is in the moderate price range .
Human	: address and postcode
Machine	: the address is 33 bridge street and the area code is c.b 2, 1 u.w . is there anything else i can help you with today ?
Human	: thanks
Machine	: galleria is a european restaurant in the moderate price range . would you like their phone ?
Human	: thank you
Machine	: thank you for using the cambridge restaurant system . good bye
Human	: Hi, I'm hungry for some Indonesian food
Machine	: i am sorry , there are no indonesian restaurants . would you like a different food ?
Human	: Oh no. How about Indian?
Machine	: there are 9 restaurants serving indian types of food . do you have a preference on side of town ?
Human	: East side please
Machine	: sitar tandoori is a indian restaurant in the east side of town . would you like their information ?
Human	: Yes, the address and phone number please
Machine	: sitar tandoori is located at 43 high street cherry hinton cherry hinton and their phone number is 01223 249955 .
Human	: Okay, thank you
Machine	: thank you , goodbye .
Human	: hello
Machine	: what cuisine would you like ?
Human	: afghan
Machine	: i am sorry , there are no afghan restaurants . would you like something else ?
Human	: korean
Machine	: little seoul serves korean food , it is located at 108 regent street city centre .
Human	: is it expensive?
Machine	: little seoul serves korean food and is in the expensive price range .
Human	: what area is that
Machine	: little seoul is located in the centre area of town . would you like their number ?
Human	: yes
Machine	: the telephone number is 01223 308681 . is there anything else i can help you with today ?
Human	: no goodbye
Machine	: thank you for using the cambridge restaurant system , goodbye .
Human	: I want to find a restaurant in the east part of town that serves creative food
Machine	: i am sorry , there are no creative restaurants in the east side of town . would you like a different restaurant ?
Human	: how about indian food?
Machine	: curry prince is a indian restaurant in the east of town . would you like their phone number ?
Human	: yes, may i have the address and phone number?
Machine	: curry prince is located at 451 newmarket road fen ditton and their phone is 01223 566388 . is there anything else i can help you with today ?
Human	: no, thank you goodbye
Machine	: thank you for using the cambridge restaurant system . good bye
Machine	: what food are you interested ?
Human	: english
Machine	: i am sorry , there are no english restaurants . would you like to try a different food type ?
Human	: chinese
Machine	: there are 8 restaurants serving chinese type of cuisine . do you have a preference of area ?
Human	: south part
Machine	: the good luck chinese food takeaway is a chinese restaurant in the south of town . would you like the phone number ?
Human	: no. just address and price range
Machine	: the good luck chinese food takeaway is located at 82 cherry hinton road cherry hinton . is there anything else i can help you with ?
Human	: what is their price range?
Machine	: the good luck chinese food takeaway is expensively priced chinese restaurant in the south area . would you like more information ?
Human	: no goodbye
Machine	: thank you for using the cambridge restaurant system . good bye .
Human	: Is there a gastropub anywhere around here?
Machine	: there are 3 gastropub restaurants . would you like more information ?
Human	: Is there one on the west side?
Machine	: i am sorry , there are no gastropub restaurants in the west side of town . would you like something else ?
Human	: How about east?
Machine	: royal standard is a gastropub restaurant in the east of town .
Human	: What's the address?
Machine	: the address is 290 mill road city centre .
Human	: Thanks, bye
Machine	: thank you for using the cambridge restaurant system . good bye